

Product Name : RICOH TONER TYPE 1230D BLACK (Black toner) SDS Number : 888216
Date Prepared : 12/08/2005 Date Modified : 10/07/2017 Date : 12/06/2018



Safety Data Sheet (ISO form)

1. Product and Company Identification

Product Name : RICOH TONER TYPE 1230D BLACK (Black toner)
General Use : The Image Formation of Printing Machine or Copier
SDS Number : 888216
Company Name : Ricoh Company, Ltd.
Department : Safety Engineering Department, Quality Management Division
Address : 146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007 Japan
Telephone Number : 055-920-1470, Japan
Telefax Number : 055-920-1479, Japan
E-mail : msdsinfo@nts.ricoh.co.jp

2. Composition Regulation (EC) No 1272/2008 Section/Information on Ingredients

Substance or Preparation

Preparation

Chemical Nature

| Ingredients | Chemical Formula | CAS.No. | Contents(%) |
|-----------------|------------------|--------------|-------------|
| Polyester Resin | Confidential | Confidential | >80 |
| Carbon Black | C | 1333-86-4 | <15 |
| Wax | Not Identified | 8015-86-9 | <10 |
| Titan Oxide | TiO ₂ | 13463-67-7 | 0.1-1 |
| | | | |

This product does not contain any of the following substances as ingredients.
Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB),
Polybrominated diphenyl ethers (PBDE), SVHC (substances of very high concern:
published by ECHA).
And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients Information

Chemical Name : Carbon Black

| | | | |
|---------------------|------------------------|-------------------------|------------------------|
| CAS Number | : 1333-86-4 | EEC Number | : 215-609-9 |
| OSHA Z-Tables (USA) | : 3.5mg/m ³ | ACGIH-TLV | : 3.5mg/m ³ |
| NTP (USA) | : Not listed | IARC Monographs | : Group 2B |
| Symbol (EU) | : Not listed | R-Phrase (EU) | : Not listed |
| DFG-MAK | : III 3B | OELs-TWA (Australia) | : 3.0mg/m ³ |

California Proposition 65 (USA) : Listed

Chemical Name : Titan Oxide

| | | | |
|---------------------|-----------------------|-------------------------|-----------------------|
| CAS Number | : 13463-67-7 | EEC Number | : 236-675-5 |
| OSHA Z-Tables (USA) | : 15mg/m ³ | ACGIH-TLV | : 10mg/m ³ |
| NTP (USA) | : Not listed | IARC Monographs | : Group 2B |
| Symbol (EU) | : Not listed | R-Phrase (EU) | : Not listed |
| DFG-MAK (GER) | : Not listed | OELs-TWA (Australia) | : 10mg/m ³ |

California Proposition 65 (USA) : Listed

3. Hazards Identification

The Most Important Hazards

Adverse Human Health Effects

There are no significant hazards expected with intended use.

Environmental Effects

There are no significant hazards expected with intended use.

Physical and Chemical Hazards

There are no significant hazards expected with intended use.

Specific Hazards

Dust explosion (like most finely grained organic powders)

Main Symptoms

Acute Inhalation Toxicity

Exposure to excessive amount of dust may cause physical irritation to respiratory tract.

Acute Oral Toxicity

Low acute toxicity in animal experiment.

Acute Eye Irritation

May cause slight transient irritation.

Acute Skin Irritation

May be non-irritant.

Sensitization

From test no apparent significant hazards are expected . (Only few cases reported on incidental allergy-related conjunctivitis or dermatitis.)

Chronic Effect

Slight pulmonary fibrosis has been reported in rats upon chronic inhalation exposure to a toner at 4mg/m³ every day for 2 years. No pulmonary change was found at 1mg/m³. These findings show that exposure to excessive amounts of powder may cause damage to lungs. However, normal use and handling of this product as intended, does not result in inhalation of excessive amounts of powder.

Carcinogenicity

Carbon black and titanium dioxide contained in this product are classified to Group 2B of IARC as the result of inhalation test in use of rat.

But oral/skin test does not show carcinogenicity.

The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in use of rat.

In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a normal use practice, the concentration should be far lower than the above; and it is assumed that there is no such use.

Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with epidemiological survey.

The Classification of The Chemical Product

This preparation is not classified as dangerous according to Regulation (EC) No 1272/2008.

4. First-Aid Measures

Inhalation

Remove from exposure into fresh air and rinse mouth with water. Seek medical advice.

Skin Contact

Wash thoroughly with soapy water.

Eye Contact

Flush with a large amount of water until particles are removed. Seek medical advice.

Ingestion

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Notes to a physician
Not applicable

5.Fire-Fighting Measures

Extinguishing Media

CO₂,dry chemicals,foam or water.

Extinguishing Media to Avoid

Not applicable.

Specific Hazards

Can form explosive dust-air mixtures when finely dispersed in air.

Specific Method

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

6.Accidental Release Measures

Personal Precautions

Do not breathe in dust.

Environment Precautions

Do not flush into sewers or watercourses.

Methods for Cleaning Up

Fine powder may form explosive dust-air mixture.Confirm there is no source of fire and if there is a source,remove it.Sweep up spilled powder slowly and clean remainder with wet cloth.If a vacuum cleaner is used,a dust explosion-proof type must be chosen.

7.Handling and Storage

Handling

Technical Measures/Precautions

Not applicable

Safe Handling Advice

Do not handle in areas where there is wind or draught, this may cause dust to get into eyes.

Avoid breathing in dust.

Storage

Technical Measures

Not applicable

Storage Conditions

Keep out of reach of children.

Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35degrees centigrade for a long time. Avoid direct sunlight.

Packaging Material

Not applicable

Specific Use(s)

Image formation in printing machines or copiers.

8.Exposure Controls/Personal Protection

Technical Measures

Use adequate ventilation. None required with intended use.

Control Parameters

USA OSHA PEL (TWA) : 15mg/m³ (Total dust) 5.0mg/m³ (Respirable fraction)

ACGIH TLV (TWA) : 10mg/m³ (Inhalable fraction) 3.0mg/m³ (Respirable fraction)

DFG MAK : 4.0mg/m³ (Total dust) 1.5mg/m³ (Respirable fraction)

Personal Protection
Respiratory Protections
None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator.
Hand Protection
Use vinyl or rubber gloves if necessary.
Eye Protection
Put on goggles if necessary.
Skin and Body Protection
Wear chemical-resistant apron or other impervious clothing if necessary.
Hygiene Measures
Wash hands after handling.

9. Physical and Chemical Properties

Appearance
Physical State : Solid
Form : Powder
Colour : Black
Odour : Slightly plastic odour
Information
pH : Not applicable
Specific Temperatures/Temperature Ranges at Which Changes in Physical State Occur
Boiling Point (degrees centigrade) : Not applicable
Melting Point (degrees centigrade) : (Softening point) Approx.110

Decomposition Temperature (degrees centigrade) : Not available
Flash Point (degrees centigrade) : Not applicable
Explosion Properties (degrees centigrade) : This product is considered a nonexplosive material under normal use.

Vapor Pressure (Pa) : Not applicable
Vapor : Not applicable
Density(AIR=1)
Density (g/cm³) : Approx. 1.2 Measuring Temp (degrees centigrade) : 25

Solubility

Water Solubility (g/L) : Insoluble
Chloroform Solubility (g/L) : Slightly soluble
Octanol/Water Partition Coefficient
Not available

Other Information

Flammability : Not flammable
Viscosity (Pa · s) : Not applicable
Volatile (%) : 0.2 or below

10. Stability and Reactivity

Stability
Stable
Hazardous Reaction
Dust explosion, like most finely grained organic powders.

Conditions to Avoid

Not applicable in normal use.

Materials to Avoid

Not applicable in normal use.

Hazardous Decomposition Products

Decomposition products will not occur.

11.Toxicological Information

Acute Toxicity

Acute Oral Toxicity (LD50) :

5000 or over [mg/kg] (Rat)

Acute Dermal Toxicity :

Not available

Acute Inhalation Toxicity :

Not available

Local effects

Acute Skin Irritation(PII) :

Non-irritant (Rabbit)

Acute Eye Irritation :

Not available

Sensitization

Acute Allergenic Effects :

Non-skinsensitive (Marmot)

Specific Effects

Carcinogenicity :

Carbon black and titanium dioxide contained in this product are classified to Group 2B of IARC as the result of inhalation test in use of rat.

But oral/skin test does not show carcinogenicity.

The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in use of rat.

In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor.

Under a normal use practice, the concentration should be far lower than the above; and it is assumed that there is no such use.

Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with epidemiological survey.

Mutagenicity : Negative (Ames test)

Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

12.Ecological Information

Mobility : No data are available on any adverse effects on the environment.

Persistence/Degradability : Not available

Bioaccumulation : Not available

Ecotoxicity

Acute Toxicity for Fish (LC50) : Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/96hr

Acute Toxicity for Daphnia (EC50) : Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/48hr

Algae Inhibition Test (IC50) : Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/72hr

13.Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements.

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions:

Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

14. Transport Information

International Regulations

Land Transport

RID/ADR : Not applicable

DOT 49 CFR : Not applicable

ADNR : Not applicable

Sea Transport

IMDG Code : Not applicable

Air Transport

ICAO-TI/IATA-DGR : Not applicable

The UN Classification : Not applicable

Number

Class : Not applicable

Specific Precautionary Transport Measures and conditions

Avoid direct sunlight in quality.

15. Regulatory Information

Regulations

EU Information

Information on the label (Regulation (EC) No 1272/2008)

Symbols & : Not required

Indications

R-Phrase : Not required

S-Phrase : Not required

Special Precautions under Regulation (EC) No 1272/2008 Annex II : Not required

Regulation (EC) No 1907/2006 annex XVII

This product complies with applicable rules and regulations under Regulation (EC) No 1907/2006 annex XVII.

Regulation (EC) No 689/2008

Not regulated

US Information

Information on the label : Not required

TSCA (Toxic Substances Control Act) :

This toner complies with all applicable rules and regulations under TSCA.

SARA Title III

313 Reportable Ingredients : Not regulated

California Proposition 65 : Not regulated

Canada Information

WHMIS Controlled product : Not a controlled product

16. Other Information

NFPA Hazard Rating: National Fire Protection Agency (USA)

Health ; 1, Flammability ; 1, Reactivity ; 0

HMIS Rating : The National Paint and Coating Association (USA)

Health ; 1, Flammability ; 1, Reactivity ; 0

Literature References :

ANSI Z400.1-1993

ISO 11014-1

IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93"

NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

| | |
|-----------------------------|--|
| ACGIH-TLV | : Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices |
| OSHA Z-Tables | : US Department of Labor, 29CFR Part 1910 , Tables Z-1, Z-2, and Z-3 |
| NTP (USA) | : US Department of Health and Human Services National Toxicology Program Annual Report on Carcinogens |
| DFG-MAK | DFG List of MAK and BAT Value |
| Symbol (EC) | : Regulation (EC)No.1272/2008 |
| 91/155/ EEC | : EU Directive 91/155/ EEC |
| 1272/2008 | : Regulation (EC) No 1272/2008 |
| CLP (EC)No.1272/2008 | : Regulation (EC)No.1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures,amending and repealing Directive Regulation (EC) No 1272/2008, and amending Regulation (EC)No. 1907/2006 |
| Regulation (EC) No 689/2008 | : EU. Regulation EC No. 689/2008, Annex 1, concerning the export and import of dangerous chemicals, OJ (L60) 5,10 March 2010[replaces Reg.304/2003] |
| WHMIS Controlled product | : Canada Workplace Hazardous Information System |
| OELs-TWA (Australia) | : Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC: 3008 (1995)] |

Abbreviations :

| | |
|-----------|---|
| OSHA PEL | PEL (Permissible Exposure Limit) under Occupational Safety and Health Act |
| ACGIH-TLV | TLV (Threshold Limit Values) under American Conference of Governmental Industrial Hygienists |
| REACH | (EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals |
| SVHC | Substances of Very High Concern |
| ECHA | The European Chemicals Agency |
| DFG-MAK | MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft |
| RoHS | Restriction of the use of certain Hazardous Substances in Electrical and Electronic Equipment |
| TWA | Time Weighted Average |
| IARC | International Agency for Research on Cancer |
| NTP | National Toxicology Program |
| WHMIS | Workplace Hazardous Information System |
| NOHSC | National Occupational Health and Safety Commission Act 1985 |

Disclaimer :

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of RICOH COMPANY, LTD.
It relates only to the specific material designated herein, and does not relate to use in combination

with any other material or process.

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.